

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 29-Nov-2010

Revision Date 18-Oct-2023

Revision Number 10

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

| Product Description: | Strontium nitrate anhydrous |
|---------------------------|-----------------------------|
| Cat No. : | S/8402/53 |
| CAS No | 10042-76-9 |
| EC No | 233-131-9 |
| Molecular Formula | N2 O6 Sr |
| REACH registration number | 01-2119615605-42 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended Use | Laboratory chemicals. |
|----------------------|--------------------------|
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name

Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Oxidizing solids

Category 1 (H271)

Health hazards

Strontium nitrate anhydrous

Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H271 - May cause fire or explosion; strong oxidizer

H318 - Causes serious eye damage

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220 - Keep away from clothing and other combustible materials

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-------------------|------------|-------------------|----------|---|
| Strontium nitrate | 10042-76-9 | EEC No. 233-131-9 | <=100 | Ox. Sol. 1 (H271) Eye Dam. 1 (H318) |

| REACH registration number 01-2119615605-42 |
|--|
|--|

Category 1 (H318)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | If symptoms persist, call a physician. |
|------------------------------------|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| 4.2. Most important symptoms and | effects, both acute and delayed |

Causes severe eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Oxidizer: Contact with combustible/organic material may cause fire. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Strontium nitrate anhydrous

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from clothing and other combustible materials.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

Technical Rules for Hazardous Substances (TRGS) 510 Class 5.1A Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See values below; See table for values

| | Component | Acute effects local | Acute effects | Chronic effects local | Chronic effects |
|--|-----------|---------------------|---------------|-----------------------|-----------------|
|--|-----------|---------------------|---------------|-----------------------|-----------------|

Strontium nitrate anhydrous

Revision Date 18-Oct-2023

| | (Oral) | systemic (Oral) | (Oral) | systemic (Oral) |
|----------------------|--------|-----------------|--------|-----------------|
| Strontium nitrate | | | | 1.2 mg/kg bw/d |
| 10042-76-9 (<=100) | | | | |

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Strontium nitrate 10042-76-9 (<=100) | | | | DNEL = 40.1mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---|-------------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Strontium nitrate 10042-76-9 (<=100) | | | | DNEL = 7.9mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|-------------------|----------------|------------------|--------------------|-------------------|--------------------|
| | | sediment | | sewage treatment | |
| Strontium nitrate | PNEC = 2.1mg/L | PNEC = 1811mg/kg | | PNEC = 4.2mg/L | PNEC = 332mg/kg |
| 10042-76-9(<=100) | | sediment dw | | | soil dw |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

| Eye Protection | Goggles (European standard - EN 166) |
|-----------------|--------------------------------------|
| Hand Protection | Protective gloves |

| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) |
|---|---|----------------------|-----------------------|---|
| Skin and body prote | ection Long sle | eved clothing. | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | No protective equipment is needed under normal use conditions. | | |
|---------------------------|---|--|--|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced | | |

Strontium nitrate anhydrous

Small scale/Laboratory use

Maintain adequate ventilation

Environmental exposure controls Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Solid Crystalline | |
|---|--|--|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits | White Odorless No data available 570 °C / 1058 °F No data available 645 °C / 1193 °F Not applicable No information available No data available | Solid |
| Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wat | • | Method - No information available 5% aq.sol Solid |
| Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics | No data available No data available Not applicable No data available | Solid |
| 9.2. Other information | | |
| Molecular Formula Molecular Weight Oxidizing Properties Evaporation Rate | N2 O6 Sr 211.63 Oxidizer Not applicable - Solid | |

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | Yes |
|---|---|
| 10.2. Chemical stability | Oxidizer: Contact with combustible/organic material may cause fire. |
| 10.3. Possibility of hazardous reacti | ons |
| Hazardous Polymerization Hazardous Reactions | No information available. None under normal processing. |
| 10.4. Conditions to avoid | Avoid dust formation. Incompatible products. Combustible material. Excess heat. |

10.5. Incompatible materials

Organic materials. Strong acids. Reducing Agent. Finely powdered metals. Strong reducing agents. Combustible material.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;Based on available data, the classification criteria are not metOralBased on available data, the classification criteria are not metDermalNo data availableInhalationNo data available

| Component | Component LD50 Oral | | LC50 Inhalation | |
|-------------------|---|--|--------------------------|--|
| Strontium nitrate | Strontium nitrate LD50 = 2750 mg/kg (Rat) | | LC50 > 4.5 mg/L (Rat)4 h | |
| | | | | |

| (b) skin corrosion/irritation; | No data available |
|---|---|
| (c) serious eye damage/irritation; | Category 1 |
| (d) respiratory or skin sensitization; Respiratory Skin | No data available No data available |
| (e) germ cell mutagenicity; | No data available |
| (f) carcinogenicity; | No data available |
| | There are no known carcinogenic chemicals in this product |
| (g) reproductive toxicity; | No data available |
| (h) STOT-single exposure; | No data available |
| | |
| (i) STOT-repeated exposure; | No data available |
| Target Organs | None known. |
| (j) aspiration hazard; | Not applicable Solid |
| Symptoms / effects,both acute and | No information available. |

11.2. Information on other hazards

delayed

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-------------------|---|------------|--|
| Strontium nitrate | LC50 > 97 mg/L 96h, Cyprinus carpio (OECD Test Guideline 203) | | EC50 = 104.7 mg/L 72h, Pseudokirchneriella subcapitata (OECD Test Guideline 201) |

| 12.2. Persistence and degradability Persistence Degradability Degradation in sewage treatment plant | Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. |
|---|--|
| 12.3. Bioaccumulative potential | Bioaccumulation is unlikely |
| <u>12.4. Mobility in soil</u> | The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils |
| 12.5. Results of PBT and vPvB assessment | In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment. |
| 12.6. Endocrine disrupting properties Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |
| 12.7. Other adverse effects | |

Persistent Organic PollutantThis product does not contain any known or suspected substanceOzone Depletion PotentialThis product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | UN1507 STRONTIUM NITRATE 5.1 III |
|---|---|
| ADR | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | UN1507 STRONTIUM NITRATE 5.1 III |
| ΙΑΤΑ | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | UN1507 STRONTIUM NITRATE 5.1 III |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|-------------------|------------|-----------|---------|--------------------------------|-------|------|----------|-------|-------|
| Strontium nitrate | 10042-76-9 | 233-131-9 | - | - | Х | Х | KE-32235 | Х | Х |
| | | | | | | | | | |
| Component | CAS No | TSCA | notific | ventory ation - Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
| Strontium nitrate | 10042-76-9 | Х | | TIVE | Х | - | Х | Х | Х |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Γ | Component | CAS No | REACH (1907/2006) - | REACH (1907/2006) - | REACH Regulation (EC |
|---|-----------|--------|--------------------------|---------------------------|-----------------------------|
| | | | Annex XIV - Substances | Annex XVII - Restrictions | 1907/2006) article 59 - |
| | | | Subject to Authorization | on Certain Dangerous | Candidate List of |

Strontium nitrate anhydrous

Revision Date 18-Oct-2023

| | | | Substances | Substances of Very High Concern (SVHC) |
|-------------------|------------|---|--|---|
| Strontium nitrate | 10042-76-9 | - | Use restricted. See item 75. (see link for restriction details) | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report |
|-------------------|------------|---|--|
| | | Notification | Requirements |
| Strontium nitrate | 10042-76-9 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------|---------------------------------------|-------------------------|
| Strontium nitrate | WGK1 | |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H318 - Causes serious eye damage

H271 - May cause fire or explosion; strong oxidizer

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

FSUS8402

Strontium nitrate anhydrous

| Substances/EU List of Notified Chemical Substances | DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List |
|--|--|
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances |
| IECSC - Chinese Inventory of Existing Chemical Substances | AICS - Australian Inventory of Chemical Substances |
| KECL - Korean Existing and Evaluated Chemical Substances | NZIOC - New Zealand Inventory of Chemicals |
| | |
| WEL - Workplace Exposure Limit | TWA - Time Weighted Average |
| ACGIH - American Conference of Governmental Industrial Hygienists | IARC - International Agency for Research on Cancer |
| DNEL - Derived No Effect Level | Predicted No Effect Concentration (PNEC) |
| RPE - Respiratory Protective Equipment | LD50 - Lethal Dose 50% |
| LC50 - Lethal Concentration 50% | EC50 - Effective Concentration 50% |
| NOEC - No Observed Effect Concentration | POW - Partition coefficient Octanol:Water |
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of | ICAO/IATA - International Civil Aviation Organization/International Air |
| Dangerous Goods by Road | Transport Association |
| IMO/IMDG - International Maritime Organization/International Maritime | MARPOL - International Convention for the Prevention of Pollution from |
| Dangerous Goods Code | Ships |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate |
| BCF - Bioconcentration factor | VOC - (Volatile Organic Compound) |
| Key literature references and sources for data | |
| https://echa.europa.eu/information-on-chemicals | |
| including and a second and a second and a second | |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

| Creation Date | 29-Nov-2010 |
|------------------|-----------------------|
| Revision Date | 18-Oct-2023 |
| Revision Summary | SDS sections updated. |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet