

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 19-Apr-2012 Revision Date 22-Sep-2023 Revision Number 10

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: N,N-Dimethylaniline

Cat No.: 115920000; 115920010; 115920025; 115920050

Synonyms DMA

 Index No
 612-016-00-0

 CAS No
 121-69-7

 EC No
 204-493-5

 Molecular Formula
 C8 H11 N

REACH registration number 01-2119950342-44

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use**Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

## 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road.

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

## N,N-Dimethylaniline

Revision Date 22-Sep-2023

Based on available data, the classification criteria are not met

## **Health hazards**

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Caregory 3 (H301)

Caregory 3 (H311)

Category 3 (H331)

Carcinogenicity

Category 2 (H351)

#### **Environmental hazards**

Chronic aquatic toxicity Category 2 (H411)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

Danger

#### **Hazard Statements**

H411 - Toxic to aquatic life with long lasting effects

H351 - Suspected of causing cancer

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

Combustible liquid

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P273 - Avoid release to the environment

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and |
|-----------|--------|-------|----------|---|
|           |        |       |          | UK SI 2020/1567   |

#### N,N-Dimethylaniline

| Dimethylaniline | 121-69-7 | EEC No. 204-493-5 | >95 | Acute Tox. 3 (H301)      |
|-----------------|----------|-------------------|-----|--------------------------|
|                 |          |                   |     | Acute Tox. 3 (H311)      |
|                 |          |                   |     | Acute Tox. 3 (H331)      |
|                 |          |                   |     | Carc. 2 (H351)           |
|                 |          |                   |     | Aquatic Chronic 2 (H411) |

REACH registration number 01-2119950342-44

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

**Ingestion** Call a physician immediately. Clean mouth with water.

**Inhalation** Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water mist may be used to cool closed containers. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Water may be ineffective.

#### 5.2. Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

ACR11592

Revision Date 22-Sep-2023

#### N,N-Dimethylaniline

Revision Date 22-Sep-2023

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Do not let this chemical enter the environment. Remove all sources of ignition.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame. Protect from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Class 6.1C Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

#### **Exposure limits**

#### N,N-Dimethylaniline Revision Date 22-Sep-2023

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component       | The United Kingdom                | European Union | Ireland                           |
|-----------------|-----------------------------------|----------------|-----------------------------------|
| Dimethylaniline | STEL: 10 ppm 15 min               |                | TWA: 5 ppm 8 hr.                  |
|                 | STEL: 50 mg/m <sup>3</sup> 15 min |                | TWA: 25 mg/m <sup>3</sup> 8 hr.   |
|                 | TWA: 5 ppm 8 hr                   |                | STEL: 10 ppm 15 min               |
|                 | TWA: 25 mg/m <sup>3</sup> 8 hr    |                | STEL: 50 mg/m <sup>3</sup> 15 min |
|                 | Skin                              |                | Skin                              |

#### **Biological limit values**

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

#### **Predicted No Effect Concentration (PNEC)**

See values below.

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material                               | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|--|-----------------------------------|-----------------|-------------|-----------------------|
| Natural rubber<br>Nitrile rubber<br>Neoprene | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |
| PVC  |                                   |                 |             |                       |

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

N,N-Dimethylaniline Revision Date 22-Sep-2023

Recommended Filter type: Particulates filter conforming to EN 143 Ammonia and organic

ammonia derivatives filter Type K Green conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Yellow Odor Fishy

Odor Threshold No data available

**Melting Point/Range** 1.5 - 2.5 °C / 34.7 - 36.5 °F

Softening Point No data available

Boiling Point/Range 193 - 194 °C / 379.4 - 381.2 °F @ 760 mmHg
Flammability (liquid) Combustible liquid On basis of test data
Flammability (solid.gas) Not applicable Liquid

Flammability (solid,gas) Not applicable Explosion Limits Lower 1.2

Upper 7

Flash Point 63 °C / 145.4 °F Method - No information available

**Autoignition Temperature** 370 °C / 698 °F **Decomposition Temperature** No data available

**pH** 7.4 1 g/l water

Viscosity

No data available

Water Solubility

1 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow
Dimethylaniline 2.278

Vapor Pressure 0.53 mbar @ 20 °C

Density / Specific Gravity 0.950

Bulk DensityNot applicableLiquidVapor DensityNo information available(Air = 1.0)

Particle characteristics Not applicable (liquid)

#### 9.2. Other information

Molecular Formula C8 H11 N Molecular Weight 121.18

**Explosive Properties** explosive air/vapour mixtures possible

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

N,N-Dimethylaniline Revision Date 22-Sep-2023

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

No information available.

10.4. Conditions to avoid

Excess heat. Exposure to air. Exposure to light. Incompatible products. Keep away from

open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Acids. Strong oxidizing agents. Halogens. Acid anhydrides. Acid chlorides. Chloroformates.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

#### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

OralCategory 3DermalCategory 3InhalationCategory 3

| Component LD50 Oral |                        | LD50 Dermal                | LC50 Inhalation                 |  |  |
|---------------------|------------------------|----------------------------|---------------------------------|--|--|
| Dimethylaniline     | LD50 = 951 mg/kg (Rat) | LD50 = 1770 mg/kg (Rabbit) | LC50 > 0.5 - 5.0 mg/L (Rat) 4 h |  |  |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory Skin Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

N,N-Dimethylaniline Revision Date 22-Sep-2023

(i) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component       | Freshwater Fish                   | Water Flea                   | Freshwater Algae          |
|-----------------|-----------------------------------|------------------------------|---------------------------|
| Dimethylaniline | LC50: = 53.7 mg/L, 96h            | EC50: = 5 mg/L, 48h (Daphnia | EC50: = 340 mg/L, 96h     |
|                 | semi-static (Poecilia reticulata) | magna)                       | (Desmodesmus subspicatus) |
|                 | LC50: = 51.1 mg/L, 96h            |                              |                           |
|                 | semi-static (Brachydanio rerio)   |                              |                           |
|                 | LC50: 0.183 - 0.186 mg/L, 96h     |                              |                           |
|                 | (Brachydanio rerio)               |                              |                           |
|                 | LC50: = 65.6 mg/L, 96h            |                              |                           |
|                 | (Pimephales promelas)             |                              |                           |
|                 | LC50: = 52.6 mg/L, 96h            |                              |                           |
|                 | flow-through (Pimephales          |                              |                           |
|                 | promelas)                         |                              |                           |
|                 |                                   |                              |                           |

| Component       | Microtox                | M-Factor |
|-----------------|-------------------------|----------|
| Dimethylaniline | EC50 = 110 mg/L 24 h    |          |
|                 | EC50 = 13.6 mg/L 5 min  |          |
|                 | EC50 = 14.6 mg/L 30 min |          |

12.2. Persistence and degradability
Persistence
Persistence
Persistence is unlikely.

**Degradation in sewage**Contains substances known to be hazardous to the environment or not degradable in waste

**treatment plant** water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Dimethylaniline | 2.278   | 4.7 - 13.6 dimensionless      |

12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

12.5. Results of PBT and vPvB

assessment and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

N,N-Dimethylaniline Revision Date 22-Sep-2023

12.7. Other adverse effects

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN2253

14.2. UN proper shipping name N,N-DIMETHYLANILINE

14.3. Transport hazard class(es)6.114.4. Packing groupII

<u>ADR</u>

**14.1. UN number** UN2253

14.2. UN proper shipping name N,N-DIMETHYLANILINE

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

IATA

**14.1. UN number** UN2253

14.2. UN proper shipping name N,N-DIMETHYLANILINE

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

<u>14.5. Environmental hazards</u> Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods according to IMO instruments

## **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component       | CAS No   | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL      | ENCS | ISHL |
|-----------------|----------|-----------|--------|-----|-------|------|-----------|------|------|
| Dimethylaniline | 121-69-7 | 204-493-5 | -      | -   | Х     | X    | KE-05-053 | Χ    | Х    |
|                 |          |           |        |     |       |      | 2         |      |      |

| Component       | CAS No   | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------|----------|------|---|-----|------|------|-------|-------|
| Dimethylaniline | 121-69-7 | Χ    | ACTIVE  | X   | -    | Х    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

| Component       | CAS No   | REACH (1907/2006) -<br>Annex XIV - Substances<br>Subject to Authorization | REACH (1907/2006) -<br>Annex XVII - Restrictions<br>on Certain Dangerous | REACH Regulation (EC<br>1907/2006) article 59 -<br>Candidate List of |
|-----------------|----------|---|--|--|
|                 |          |   |  | Substances of Very High<br>Concern (SVHC)                            |
| Dimethylaniline | 121-69-7 | -   | Use restricted. See item 75. (see link for restriction details)          |  |

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

|   | Component       | CAS No   | Seveso III Directive (2012/18/EC) -      | Seveso III Directive (2012/18/EC) -     |
|---|-----------------|----------|--|---|
|   | -               |          | Qualifying Quantities for Major Accident | Qualifying Quantities for Safety Report |
|   |                 |          | Notification                             | Requirements                            |
| ı | Dimethylaniline | 121-69-7 | Not applicable                           | Not applicable                          |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

| Component       | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                 |
|-----------------|---------------------------------------|---|
| Dimethylaniline | WGK3                                  | Class I: 20 mg/m³ (Massenkonzentration) |

#### N,N-Dimethylaniline

| Ì | Component       | France - INRS (Tables of occupational diseases)               |  |
|---|-----------------|---|--|
|   | Dimethylaniline | Tableaux des maladies professionnelles (TMP) - RG 15,RG 15bis |  |

| Component                           | Switzerland - Ordinance on the<br>Reduction of Risk from<br>handling of hazardous<br>substances preparation (SR<br>814.81) | Switzerland - Ordinance on<br>Incentive Taxes on Volatile<br>Organic Compounds (OVOC) | Switzerland - Ordinance of the<br>Rotterdam Convention on the<br>Prior Informed Consent<br>Procedure |
|-------------------------------------|--|---|--|
| Dimethylaniline<br>121-69-7 ( >95 ) | Prohibited and Restricted<br>Substances  |   |  |

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H351 - Suspected of causing cancer

H411 - Toxic to aquatic life with long lasting effects

## Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 22-Sep-2023

Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

> **ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical incident response training.

19-Apr-2012 **Creation Date Revision Date** 22-Sep-2023 **Revision Summary** Not applicable.

Revision Date 22-Sep-2023

## This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

•

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**