

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 29-Sep-2014 Revision Date 29-Sep-2023 Revision Number 11

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Hydrazine hydrate, 55% (Hydrazine, 35%)</u>

Cat No. : 296810000; 296810050; 296810025; 296811000

CAS No 10217-52-4 **Molecular Formula** H4 N2 . x H2 O

Unique Formula Identifier (UFI) M9QP-TUA8-GW0E-00P0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Revision Date 29-Sep-2023

Page 2/13

Health hazards

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Skin Sensitization

Category 1 (H318)

Skin Sensitization

Category 1 (H317)

Carcinogenicity

Category 1 (H350)

Environmental hazards

Acute aquatic toxicity

Chronic aquatic toxicity

Category 1 (H400)

Category 1 (H410)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects

H301 + H311 - Toxic if swallowed or in contact with skin

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P273 - Avoid release to the environment

Additional EU labelling

Restricted to professional users

2.3. Other hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Hydrazine	302-01-2	EEC No. 206-114-9	-	Flam. Liq. 3 (H226) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Carc. 1B (H350) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Hydrazine (hydrate)	10217-52-4		50 - 60	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Carc. 1B (H350) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Water	7732-18-5	231-791-2	40 - 50	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Hydrazine	Eye Irrit. 2 (H319) :: 3%<=C<10%	10	-
	Skin Corr. 1B (H314) :: C>=10%		
	Skin Irrit. 2 (H315) ::		
	3%<=C<10%		

Note

contains 55% hydrazine hydrate, corresponds to 35% hydrazine (aqueous solution)

Components	Reach Registration Number	
Hydrazine	01-2119492624-31	(for the anhydrous form)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

Hydrazine hydrate, 55% (Hydrazine, 35%)

Revision Date 29-Sep-2023

air. Immediate medical attention is required.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Nitrogen oxides (NOx), Ammonia, Hydrogen.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Hydrazine hydrate, 55% (Hydrazine, 35%)

Revision Date 29-Sep-2023

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 6.1A

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	The United Kingdom	European Union	Ireland
Hydrazine	STEL: 0.03 ppm 15 min	TWA: 0.013 mg/m ³ (8h)	TWA: 0.01 ppm 8 hr.
	STEL: 0.039 mg/m ³ 15 min	TWA: 0.01 ppm (8h)	TWA: 0.013 mg/m ³ 8 hr.
	TWA: 0.01 ppm 8 hr	Skin	STEL: 0.03 ppm 15 min
	TWA: 0.013 mg/m ³ 8 hr		STEL: 0.039 mg/m ³ 15 min
	Carc.		Skin
	Skin		

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

Predicted No Effect Concentration (PNEC)

Hydrazine hydrate, 55% (Hydrazine, 35%)

No information available.

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Natural rubber S	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
------------------	---	----------------------	-----------------------	---

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Inorganic gases and

vapours filter Type B Grey conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless Odor Ammonia-like

Hydrazine hydrate, 55% (Hydrazine, 35%)

No data available **Odor Threshold** Melting Point/Range -65 °C / -85 °F **Softening Point** No data available 109.4 °C / 228.9 °F **Boiling Point/Range** Flammability (liquid) No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 9.3 Vol%

Upper 83.4 Vol%

> 100 °C / > 212 °F **Flash Point** Method - No information available

310 °C / 590 °F **Autoignition Temperature Decomposition Temperature** No data available

12

pН 350 g/l aq.sol 1.26 mPa.s at 20 °C

Viscosity Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Hydrazine -0.16

Vapor Pressure 15 mbar @ 20 °C

Density / Specific Gravity 1.023

Bulk Density Not applicable Liquid **Vapor Density** 1.1 @ 15 °C (Air = 1.0)

(liquid) Not applicable Particle characteristics

9.2. Other information

Molecular Formula H4 N2 . x H2 O

Molecular Weight 32.04

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity No

10.2. Chemical stability

Do not allow evaporation to dryness. Air sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Exposure to air. Incompatible products.

10.5. Incompatible materials

Acids. Bases. Finely powdered metals. Halogens. nitrogen oxides (NOx). Organic materials.

Peroxides. Lead. Metals. copper. Butyl rubber.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Ammonia. Hydrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ACR29681

Hydrazine hydrate, 55% (Hydrazine, 35%) Revision Date 29-Sep-2023

Product Information

(a) acute toxicity;

Category 3 Oral **Dermal** Category 3 Inhalation Category 2

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrazine	LD50 = 60 mg/kg (Rat)	LD50 = 91 mg/kg (Rabbit)	570 ppm (Rat) 4 h
			0.75 mg/L (Rat) 4 h
Water	=	=	=

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

No information available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Hydrazine	Carc Cat. 1B		Cat. 2	Group 2A

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs**

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Revision Date 29-Sep-2023

12.1. Toxicity

Ecotoxicity effectsVery toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Hydrazine	LC50: 0.28 - 1.34 mg/L, 96h static (Poecilia reticulata) LC50: 1.81 - 2.79 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1.17 mg/L, 96h (Lepomis macrochirus) LC50: 0.54 - 1.31 mg/L, 96h static (Lepomis macrochirus) LC50: 0.7 - 1.3 mg/L, 96h flow-through (Lepomis macrochirus)		EC50: = 0.006 mg/L, 72h static (Pseudokirchneriella subcapitata EC50: = 0.071 mg/L, 72h (Pseudokirchneriella subcapitata EC50: = 0.02 mg/L, 96h static (Pseudokirchneriella subcapitata accomplete the subcapitata eccomple
	LC50: 1.81 - 2.79 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1.17 mg/L, 96h (Lepomis macrochirus) LC50: 0.54 - 1.31 mg/L, 96h static (Lepomis macrochirus) LC50: 0.7 - 1.3 mg/L, 96h flow-through (Lepomis		EC50: = 0.071 mg/l (Pseudokirchneriella su EC50: = 0.02 mg/L, 9

Component	Microtox	M-Factor
Hydrazine	EC50 = 0.01 mg/L 15 min	10
·	EC50 = 0.01 mg/L 20 min	
	EC50 = 0.02 mg/L 5 min	
Hydrazine (hydrate)	EC50 = 0.01 mg/L 15 min	
	EC50 = 0.01 mg/L 20 min	
	EC50 = 0.02 mg/L 5 min	

12.2. Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

Degradability Not relevant for inorganic substances.

Degradation in sewage Cont

treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Hydrazine	-0.16	No data available

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

Hydrazine hydrate, 55% (Hydrazine, 35%)

Revision Date 29-Sep-2023

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized

before discharge. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN3293

14.2. UN proper shipping name HYDRAZINE, AQUEOUS SOLUTION

14.3. Transport hazard class(es) 6.1 14.4. Packing group

ADR

14.1. UN number UN3293

14.2. UN proper shipping name HYDRAZINE, AQUEOUS SOLUTION

14.3. Transport hazard class(es) 6.1 **14.4. Packing group** III

<u>IATA</u>

14.1. UN number UN3293

14.2. UN proper shipping name HYDRAZINE, AQUEOUS SOLUTION

14.3. Transport hazard class(es) 6.1 14.4. Packing group III

<u>14.5. Environmental hazards</u> Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

<u>14.7. Maritime transport in bulk</u> Not applicable, packaged goods <u>according to IMO instruments</u>

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed. US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Hydrazine hydrate, 55% (Hydrazine, 35%)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Hydrazine	302-01-2	206-114-9	-	-	Х	X	KE-19981	Χ	X
Hydrazine (hydrate)	10217-52-4	-	-	-	Х	Χ	-	Х	Χ
Water	7732-18-5	231-791-2	-	-	Х	Х	KE-35400	Χ	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Hydrazine	302-01-2	Х	ACTIVE	Х	-	X	Х	Х
Hydrazine (hydrate)	10217-52-4	-	=	-	-	-	Х	-
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	X

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydrazine	302-01-2	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 206-114-9 - Carcinogenic, Article 57a
Hydrazine (hydrate)	10217-52-4	-	-	-
Water	7732-18-5	-	-	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Hydrazine	302-01-2	0.5 tonne	2 tonne
Hydrazine (hydrate)	10217-52-4	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

Hydrazine hydrate, 55% (Hydrazine, 35%)

Revision Date 29-Sep-2023

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Hydrazine	WGK3	Krebserzeugende Stoffe - Class I : 0.05 mg/m ³
		(Massenkonzentration)

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H318 - Causes serious eye damage

H226 - Flammable liquid and vapor

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Hydrazine hydrate, 55% (Hydrazine, 35%)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Environmental hazards

On basis of test data
Calculation method
Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date29-Sep-2014Revision Date29-Sep-2023Revision SummaryNot applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ACR29681