

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 15-Sep-2009 Revision Date 29-Sep-2023 Revision Number 9

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: <u>Triethylenetetramine</u>

Cat No. : 344070000; 344070025; 344070500; 344075000

Synonyms N,N-bis(2aminoethyl)-1,2-diaminoethane; Tecza; 3,6-Diazaoctave-1,8-diamine

 Index No
 612-059-00-5

 CAS No
 112-24-3

 EC No
 292-588-2

 Molecular Formula
 C6 H18 N4

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

## **Physical hazards**

Based on available data, the classification criteria are not met

#### **Health hazards**

#### **Triethylenetetramine**

Revision Date 29-Sep-2023

Page 2/12

Acute oral toxicityCategory 4 (H302)Acute dermal toxicityCategory 4 (H312)Skin Corrosion/IrritationCategory 1 B (H314)Serious Eye Damage/Eye IrritationCategory 1 (H318)Skin SensitizationCategory 1 (H317)

#### **Environmental hazards**

Chronic aquatic toxicity Category 3 (H412)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

#### Danger

#### **Hazard Statements**

H302 + H312 - Harmful if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

| Component             | CAS No   | EC No             | Weight % | CLP Classification - According to<br>GB-CLP Regulations UK SI 2019/720 and<br>UK SI 2020/1567 |
|-----------------------|----------|-------------------|----------|---|
| Triethylene tetramine | 112-24-3 | EEC No. 203-950-6 | 60       | Acute Tox. 4 (H302)<br>Acute Tox. 4 (H312)<br>Skin Corr. 1B (H314)                            |

Triethylenetetramine Revision Date 29-Sep-2023

|  |            |                   |    | Eye Dam. 1 (H318)<br>Skin Sens. 1 (H317)<br>Aquatic Chronic 3 (H412)  |
|--|------------|-------------------|----|---|
| Amines, polyethylenepoly-, triethylenetetramine fraction | 90640-67-8 | EEC No. 292-588-2 | 40 | Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Chronic 3 (H412) |

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

## **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

\_\_\_\_\_

## **Triethylenetetramine**

Revision Date 29-Sep-2023

## Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx).

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep under nitrogen. Store under an inert atmosphere. Protect from moisture.

**Technical Rules for Hazardous Substances (TRGS) 510** Class 8A Storage Class (LGK) (Germany)

# Triethylenetetramine

#### 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

## **Exposure limits**

List source(s):

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

| Component  | Acute effects local | Acute effects         | Chronic effects local | Chronic effects              |
|--|---------------------|-----------------------|-----------------------|------------------------------|
|  | (Inhalation)        | systemic (Inhalation) | (Inhalation)          | systemic (Inhalation)        |
| Amines, polyethylenepoly-,<br>triethylenetetramine fraction<br>90640-67-8 ( 40 ) |                     |                       |                       | DNEL = 0.54mg/m <sup>3</sup> |

#### **Predicted No Effect Concentration (PNEC)**

See values below.

| Component                  | Fresh water | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|----------------------------|-------------|-------------|--------------------|-------------------|--------------------|
|                            |             | sediment    |                    | sewage treatment  |                    |
| Amines, polyethylenepoly-, | PNEC =      | PNEC =      | PNEC = 0.2mg/L     | PNEC = 0.13mg/L   | PNEC = 1.25mg/kg   |
| triethylenetetramine       | 0.0268mg/L  | 8.572mg/kg  |                    |                   | soil dw            |
| fraction                   |             | sediment dw |                    |                   |                    |
| 90640-67-8 ( 40 )          |             |             |                    |                   |                    |

| Component   | Marine water          | Marine water sediment                | Marine water intermittent | Food chain | Air |
|---|-----------------------|--------------------------------------|---------------------------|------------|-----|
| Amines, polyethylenepoly-,<br>triethylenetetramine<br>fraction<br>90640-67-8 (40) | PNEC =<br>0.00268mg/L | PNEC =<br>0.8572mg/kg<br>sediment dw | PNEC = 0.02mg/L           |            |     |

## 8.2. Exposure controls

## **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Revision Date 29-Sep-2023

**Triethylenetetramine** Revision Date 29-Sep-2023

Glove material Breakthrough time Glove thickness **EU** standard Glove comments Natural rubber See manufacturers EN 374 (minimum requirement) Nitrile rubber recommendations Neoprene PVC

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Ammonia and organic

ammonia derivatives filter Type K Green conforming to EN14387

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405: or: Half mask: EN140: plus filter. EN

When RPE is used a face piece Fit Test should be conducted

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls** 

system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**Physical State** Liquid

Light yellow **Appearance** Ammonia-like Odor **Odor Threshold** No data available Melting Point/Range -35 °C / -31 °F **Softening Point** No data available **Boiling Point/Range** 266 °C / 510.8 °F Flammability (liquid) No data available Flammability (solid,gas) Not applicable

Liquid

**Explosion Limits** Lower 0.7 vol% Upper 7.2 vol%

**Flash Point** 149 °C / 300.2 °F Method - CC (closed cup)

**Autoignition Temperature** 335 °C / 635 °F **Decomposition Temperature** No data available

Hq 10

**Viscosity** No data available

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component

Triethylenetetramine Revision Date 29-Sep-2023

Triethylene tetramine -1.4

Vapor Pressure <0.01 hPa @ 20 °C

Density / Specific Gravity 0.980

Bulk DensityNot applicableLiquidVapor Density5.0 (Air = 1.0)(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula C6 H18 N4 Molecular Weight 146.24

**Evaporation Rate** < 0.01 (Butyl Acetate = 1.0)

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to moist air or water.

10.5. Incompatible materials

Strong oxidizing agents.

## 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NOx).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Product Information**

(a) acute toxicity;

Oral Category 4
Dermal Category 4

**Inhalation** Based on available data, the classification criteria are not met

## Toxicology data for the components

| Component                     | LD50 Oral          | LD50 Dermal         | LC50 Inhalation |
|-------------------------------|--------------------|---------------------|-----------------|
| Triethylene tetramine         | 2500 mg/kg (Rat)   | 550 mg/kg (Rabbit)  | -               |
|                               | 1716 mg/kg ( Rat ) | 1465 mg/kg (Rabbit) |                 |
| Amines, polyethylenepoly-,    | 1716 mg/kg ( Rat ) | 1465 mg/kg (Rabbit) | -               |
| triethylenetetramine fraction |                    |                     |                 |

(b) skin corrosion/irritation; Category 1 B

**Triethylenetetramine** Revision Date 29-Sep-2023

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available

Skin Category 1

No information available

No data available (e) germ cell mutagenicity;

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

None known. **Target Organs** 

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Toxic to aquatic organisms.

|   | Component            | Freshwater Fish                   | Water Flea          | Freshwater Algae   |  |
|---|----------------------|-----------------------------------|---------------------|--------------------|--|
| Т | riethylene tetramine | LC50: = 495 mg/L, 96h             | EC50: 31.1 mg/L/48h | EC50: 2.5 mg/L/72h |  |
|   |                      | (Pimephales promelas)             |                     | EC50: 20 mg/L/72h  |  |
|   |                      | LC50: = 570 mg/L, 96h             |                     | EC50: 2.5 mg/L/72h |  |
|   |                      | semi-static (Poecilia reticulata) |                     |                    |  |
|   |                      |                                   |                     |                    |  |

12.2. Persistence and degradability Not readily biodegradable

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste Degradation in sewage

Triethylenetetramine Revision Date 29-Sep-2023

**treatment plant** water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component             | log Pow | Bioconcentration factor (BCF) |
|-----------------------|---------|-------------------------------|
| Triethylene tetramine | -1.4    | No data available             |

12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

|   | Component             | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated Substances |
|---|-----------------------|--|--|
| L | Triethylene tetramine | Group III Chemical                       | oubstances                                       |

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

# **SECTION 14: TRANSPORT INFORMATION**

## IMDG/IMO

**14.1. UN number** UN2259

14.2. UN proper shipping name Triethylenetetramine

14.3. Transport hazard class(es) 8
14.4. Packing group II

ADR

**14.1. UN number** UN2259

## Triethylenetetramine Revision Date 29-Sep-2023

14.2. UN proper shipping name Triethylenetetramine

14.3. Transport hazard class(es) 8 14.4. Packing group II

IATA

**14.1. UN number** UN2259

**14.2. UN proper shipping name** Triethylenetetramine

14.3. Transport hazard class(es) 8 14.4. Packing group II

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component  | CAS No     | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|--|------------|-----------|--------|-----|-------|------|----------|------|------|
| Triethylene tetramine                                    | 112-24-3   | 203-950-6 | -      | 1   | X     | X    | KE-02911 | X    | X    |
| Amines, polyethylenepoly-, triethylenetetramine fraction | 90640-67-8 | 292-588-2 | -      | -   | Х     | -    | -        | -    | -    |

| Component  | CAS No     | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--|------------|------|---|-----|------|------|-------|-------|
| Triethylene tetramine                                    | 112-24-3   | X    | ACTIVE  | X   | -    | X    | Х     | Х     |
| Amines, polyethylenepoly-, triethylenetetramine fraction | 90640-67-8 | -    | -   | -   | -    | -    | Х     | -     |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Authorisation/Restrictions according to EU REACH

| Component  | CAS No     | REACH (1907/2006) -<br>Annex XIV - Substances<br>Subject to Authorization | REACH (1907/2006) -<br>Annex XVII - Restrictions<br>on Certain Dangerous<br>Substances | REACH Regulation (EC<br>1907/2006) article 59 -<br>Candidate List of<br>Substances of Very High<br>Concern (SVHC) |
|--|------------|---|--|---|
| Triethylene tetramine                                    | 112-24-3   | -   | Use restricted. See item<br>75.<br>(see link for restriction<br>details)               | -   |
| Amines, polyethylenepoly-, triethylenetetramine fraction | 90640-67-8 | -   | -  | -   |

## **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Seveso III Directive (2012/18/EC)

Revision Date 29-Sep-2023

#### **Triethylenetetramine**

| Component  | CAS No   | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Major Accident<br>Notification | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Safety Report<br>Requirements |
|--|----------|---|--|
| Triethylene tetramine                                    | 112-24-3 | Not applicable  | Not applicable   |
| Amines, polyethylenepoly-, triethylenetetramine fraction |          | Not applicable  | Not applicable   |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

| Component             | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------------|---------------------------------------|-------------------------|
| Triethylene tetramine | WGK2                                  |                         |

| Component             | France - INRS (Tables of occupational diseases)               |  |
|-----------------------|---|--|
| Triethylene tetramine | Tableaux des maladies professionnelles (TMP) - RG 49,RG 49bis |  |

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

**CAS** - Chemical Abstracts Service

H412 - Harmful to aquatic life with long lasting effects

#### Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Page 11/12

Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

#### **Triethylenetetramine**

Revision Date 29-Sep-2023

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent. Bioaccumulative. Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

LD50 - Lethal Dose 50%

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Creation Date** 15-Sep-2009 29-Sep-2023 **Revision Date** 

SDS sections updated. **Revision Summary** 

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**