

Creation Date 22-Sep-2009

Revision Date 27-Sep-2023

Revision Number 6

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |  |
|---------------------------|--|
| Product Description:      | <b>2-(Dimethylamino)ethyl methacrylate, stabilized</b>       |
| Cat No. :                 | <b>215840000; 215840010; 215840050; 215842500; 215840051</b> |
| Synonyms                  | DMAEMA   |
| Index No                  | 607-132-00-3   |
| CAS No                    | 2867-47-2  |
| EC No                     | 220-688-8  |
| Molecular Formula         | C8 H15 N O2  |
| REACH registration number | 01-2119474677-22   |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                |   |
|--------------------------------|---|
| Recommended Use                | Laboratory chemicals.   |
| Sector of use                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| Product category               | PC21 - Laboratory chemicals   |
| Process categories             | PROC15 - Use as a laboratory reagent  |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against           | No Information available  |

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

Based on available data, the classification criteria are not met

## **Health hazards**

Acute oral toxicity

Category 4 (H302)

Acute dermal toxicity

Category 4 (H312)

Skin Corrosion/Irritation

Category 2 (H315)

Serious Eye Damage/Eye Irritation

Category 2 (H319)

Skin Sensitization

Category 1 (H317)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



**Signal Word**

**Warning**

## **Hazard Statements**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

H302 + H312 - Harmful if swallowed or in contact with skin

Combustible liquid

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P310 - Immediately call a POISON CENTER or doctor/physician

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## **2.3. Other hazards**

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

## 3.1. Substances

| Component                           | CAS No    | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567                          |
|-------------------------------------|-----------|-------------------|----------|--|
| N,N-Dimethylaminoethyl methacrylate | 2867-47-2 | EEC No. 220-688-8 | >95      | Acute Tox. 4 (H302)<br>Acute Tox. 4 (H312)<br>Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>Skin Sens. 1 (H317) |

|                           |                  |
|---------------------------|------------------|
| REACH registration number | 01-2119474677-22 |
|---------------------------|------------------|

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.  |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Get medical attention.   |
| <b>Inhalation</b>                         | Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.   |

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

### 4.3. Indication of any immediate medical attention and special treatment needed

|                    |                        |
|--------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|--------------------|------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

Combustible material. Containers may explode when heated.

## Hazardous Combustion Products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the environment. Remove all sources of ignition.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame. Protect from light. Keep refrigerated. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 10

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

## 8.1. Control parameters

### Exposure limits

List source(s):

### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component  | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|--|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| N,N-Dimethylaminoethyl methacrylate<br>2867-47-2 ( >95 ) |                              |                                 |                                | DNEL = 41.7mg/kg bw/day           |

| Component  | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|--|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| N,N-Dimethylaminoethyl methacrylate<br>2867-47-2 ( >95 ) | DNEL = 321mg/m <sup>3</sup>      |                                     | DNEL = 27mg/m <sup>3</sup>         | DNEL = 27mg/m <sup>3</sup>            |

### Predicted No Effect Concentration (PNEC)

See values below.

| Component  | Fresh water      | Fresh water sediment          | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)         |
|--|------------------|-------------------------------|--------------------|------------------------------------|----------------------------|
| N,N-Dimethylaminoethyl methacrylate<br>2867-47-2 ( >95 ) | PNEC = 0.087mg/L | PNEC = 0.483mg/kg sediment dw | PNEC = 0.191mg/L   | PNEC = 210mg/L                     | PNEC = 0.0454mg/kg soil dw |

| Component  | Marine water      | Marine water sediment          | Marine water intermittent | Food chain | Air |
|--|-------------------|--------------------------------|---------------------------|------------|-----|
| N,N-Dimethylaminoethyl methacrylate<br>2867-47-2 ( >95 ) | PNEC = 0.0087mg/L | PNEC = 0.0483mg/kg sediment dw |                           |            |     |

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

| Glove material                                      | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|---|-----------------------------------|-----------------|-------------|-----------------------|
| Natural rubber<br>Nitrile rubber<br>Neoprene<br>PVC | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

## Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

## Environmental exposure controls

Prevent product from entering drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |                                 |  |
|---|---------------------------------|--|
| Physical State                          | Liquid                          |  |
| Appearance                              | Clear                           |  |
| Odor                                    | Rotten-egg like                 |  |
| Odor Threshold                          | No data available               |  |
| Melting Point/Range                     | -50 °C / -58 °F                 |  |
| Softening Point                         | No data available               |  |
| Boiling Point/Range                     | 182 - 192 °C / 359.6 - 377.6 °F |  |
| Flammability (liquid)                   | Combustible liquid              | On basis of test data                    |
| Flammability (solid,gas)                | Not applicable                  | Liquid                                   |
| Explosion Limits                        | <b>Lower</b> 1.2                |  |
| Flash Point                             | 65 °C / 149 °F                  | <b>Method -</b> No information available |
| Autoignition Temperature                | 255 °C / 491 °F                 |  |
| Decomposition Temperature               | No data available               |  |
| pH                                      | 8                               | 50% aq.sol                               |
| Viscosity                               | 1.32 mPa.s at 20 °C             |  |
| Water Solubility                        | Soluble                         |  |
| Solubility in other solvents            | No information available        |  |
| Partition Coefficient (n-octanol/water) |                                 |  |
| Component                               | <b>log Pow</b>                  |  |
| N,N-Dimethylaminoethyl methacrylate     | 1.13                            |  |

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

|                            |                         |             |
|----------------------------|-------------------------|-------------|
| Vapor Pressure             | 1 hPa (20°C)            |             |
| Density / Specific Gravity | 0.933                   |             |
| Bulk Density               | Not applicable          | Liquid      |
| Vapor Density              | 5.4 (Air = 1.0)         | (Air = 1.0) |
| Particle characteristics   | Not applicable (liquid) |             |

## 9.2. Other information

|                      |  |
|----------------------|--|
| Molecular Formula    | C8 H15 N O2                            |
| Molecular Weight     | 157.21                                 |
| Explosive Properties | explosive air/vapour mixtures possible |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

heat sensitive. Moisture sensitive. Light sensitive.

### 10.3. Possibility of hazardous reactions

|                          |  |
|--------------------------|--|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions      | No information available.                |

### 10.4. Conditions to avoid

Excess heat. Exposure to light. Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases. Strong reducing agents.

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

|            |  |
|------------|--|
| Oral       | Category 4   |
| Dermal     | Category 4   |
| Inhalation | Based on available data, the classification criteria are not met |

| Component                           | LD50 Oral                 | LD50 Dermal                  | LC50 Inhalation              |
|-------------------------------------|---------------------------|------------------------------|------------------------------|
| N,N-Dimethylaminoethyl methacrylate | LD50 > 2000 mg/kg ( Rat ) | LD50 > 2000 mg/kg ( Rabbit ) | LC50 = 0.62 mg/L ( Rat ) 4 h |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

## (d) respiratory or skin sensitization;

Respiratory  
Skin

Based on available data, the classification criteria are not met  
Category 1

May cause sensitization by skin contact

## (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

## (f) carcinogenicity;

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

## (g) reproductive toxicity;

Based on available data, the classification criteria are not met

## (h) STOT-single exposure;

Based on available data, the classification criteria are not met

## (i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

## (j) aspiration hazard;

Based on available data, the classification criteria are not met

## Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.  
Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Do not empty into drains. Contains a substance which is: Harmful to aquatic organisms.  
The product contains following substances which are hazardous for the environment.

| Component                           | Freshwater Fish  | Water Flea                                    | Freshwater Algae |
|-------------------------------------|--|---|------------------|
| N,N-Dimethylaminoethyl methacrylate | LC50: = 19.1 mg/L, 96h<br>semi-static ( <i>Oryzias latipes</i> ) | EC50: = 53 mg/L, 48h ( <i>Daphnia magna</i> ) |                  |

### 12.2. Persistence and degradability

#### Persistence

#### Degradation in sewage treatment plant

Readily biodegradable

Soluble in water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component                           | log Pow | Bioconcentration factor (BCF) |
|-------------------------------------|---------|-------------------------------|
| N,N-Dimethylaminoethyl methacrylate | 1.13    | No data available             |

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

## 12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

## 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## 12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance.  
This product does not contain any known or suspected substance.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN2522

#### 14.2. UN proper shipping name

2-DIMETHYLAMINOETHYL METHACRYLATE

#### 14.3. Transport hazard class(es)

6.1

#### 14.4. Packing group

II

### ADR

#### 14.1. UN number

UN2522

#### 14.2. UN proper shipping name

2-DIMETHYLAMINOETHYL METHACRYLATE

#### 14.3. Transport hazard class(es)

6.1

#### 14.4. Packing group

II

### IATA

#### 14.1. UN number

UN2522

#### 14.2. UN proper shipping name

2-DIMETHYLAMINOETHYL METHACRYLATE

#### 14.3. Transport hazard class(es)

6.1

#### 14.4. Packing group

II

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

- 14.5. Environmental hazards** No hazards identified
- 14.6. Special precautions for user** No special precautions required.
- 14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                           | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-------------------------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| N,N-Dimethylaminoethyl methacrylate | 2867-47-2 | 220-688-8 | -      | -   | X     | X    | KE-24960 | X    | X    |

| Component                           | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-------------------------------------|-----------|------|---|-----|------|------|-------|-------|
| N,N-Dimethylaminoethyl methacrylate | 2867-47-2 | X    | ACTIVE  | X   | -    | X    | X     | X     |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

| Component                           | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------------------------|-----------|---|---|---|
| N,N-Dimethylaminoethyl methacrylate | 2867-47-2 | -   | Use restricted. See item 75. (see link for restriction details)               | -   |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

#### Seveso III Directive (2012/18/EC)

| Component                           | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------------------------|-----------|---|--|
| N,N-Dimethylaminoethyl methacrylate | 2867-47-2 | Not applicable  | Not applicable   |

#### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

| Component                           | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------------------------|---------------------------------------|-------------------------|
| N,N-Dimethylaminoethyl methacrylate | WGK1                                  |                         |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed  
H312 - Harmful in contact with skin  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

# SAFETY DATA SHEET

2-(Dimethylamino)ethyl methacrylate, stabilized

Revision Date 27-Sep-2023

---

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

|                  |                 |
|------------------|-----------------|
| Creation Date    | 22-Sep-2009     |
| Revision Date    | 27-Sep-2023     |
| Revision Summary | Not applicable. |

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**