

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 23-Jun-2009

Revision Date 06-Dec-2024

Revision Number 9

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF **THECOMPANY/UNDERTAKING**

| 1.1. Product identifier | | | | |
|---|--|--|--|--|
| Product Description: Cat No. : | <u>Trimethyltin chloride, 1M (20 wt.%) solution in THF</u> 427850000; 427851000 | | | |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against | | | |
| Recommended Use Uses advised against | Laboratory chemicals. No Information available | | | |
| 1.3. Details of the supplier of the sa | ifety data sheet | | | |
| Company | UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium | | | |
| E-mail address | begel.sdsdesk@thermofisher.com | | | |
| 1.4. Emergency telephone number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 | | | |

SECTION 2: HAZARDS IDENTIFICATION

CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids

Health hazards

Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Vapors Serious Eye Damage/Eye Irritation Category 2 (H225)

Category 3 (H301) Category 2 (H310) Category 3 (H331) Category 2 (H319)

Trimethyltin chloride, 1M (20 wt.%) solution in THF

Revision Date 06-Dec-2024

Carcinogenicity

Specific target organ toxicity - (single exposure)

Environmental hazards

Chronic aquatic toxicity

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H301 + H331 Toxic if swallowed or if inhaled
- H310 Fatal in contact with skin
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- H411 Toxic to aquatic life with long lasting effects

EUH019 - May form explosive peroxides

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P310 Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

Toxic to terrestrial vertebrates This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-----------------|----------|-----------|----------|---|
| Tetrahydrofuran | 109-99-9 | 203-726-8 | 80 | Flam. Liq. 2 (H225) Acute Tox. 4 (H302) |

Category 2 (H351) Category 3 (H335) (H336)

Category 2 (H411)

Trimethyltin chloride, 1M (20 wt.%) solution in THF

Revision Date 06-Dec-2024

| | | | | Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT SE 3 (H336) Carc. 2 (H351) (EUH019) |
|-----------------------|-----------|-------------------|----|---|
| Trimethyltin chloride | 1066-45-1 | EEC No. 213-917-8 | 20 | Acute Tox. 2 (H300) Acute Tox. 1 (H310) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-----------------|--|----------|-----------------|
| Tetrahydrofuran | Acute Tox. 4 :: C>82.5% Eye Irrit. 2 :: C>=25% STOT SE 3 :: C>=25% | - | - |

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. | | | |
|---|--|--|--|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. | | | |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. | | | |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. | | | |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. | | | |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. | | | |
| 4.2. Most important symptoms and | effects, both acute and delayed | | | |
| | Irritating to eyes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression | | | |
| 4.3. Indication of any immediate medical attention and special treatment needed | | | | |
| Notes to Dhysisian | Tract symptometically, Symptome may be delayed | | | |

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. May form explosive peroxides. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Metal oxides, Hydrogen chloride gas.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Trimethyltin chloride, 1M (20 wt.%) solution in THF

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs, Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Flammables area. Corrosives area. Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Shelf life 12 months, May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): EU - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. IRE - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-----------------------|------------------------------------|-------------------------------------|------------------------------------|
| Tetrahydrofuran | STEL: 100 ppm 15 min | TWA: 50 ppm (8h) | TWA: 50 ppm 8 hr. |
| | STEL: 300 mg/m ³ 15 min | TWA: 150 mg/m ³ (8h) | TWA: 150 mg/m ³ 8 hr. |
| | TWA: 50 ppm 8 hr | STEL: 100 ppm (15min) | STEL: 100 ppm 15 min |
| | TWA: 150 mg/m ³ 8 hr | STEL: 300 mg/m ³ (15min) | STEL: 300 mg/m ³ 15 min |
| | Skin | Skin | Skin |
| Trimethyltin chloride | STEL: 0.2 mg/m ³ 15 min | | |
| | TWA: 0.1 mg/m ³ 8 hr | | |
| | Skin | | |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|------------------------------------|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Tetrahydrofuran 109-99-9 (80) | | | | DNEL = 12.6mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|----------------------------------|-------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|
| Tetrahydrofuran 109-99-9 (80) | DNEL = 300mg/m ³ | DNEL = 96mg/m ³ | DNEL = 150mg/m ³ | DNEL = 72.4mg/m ³ |

Trimethyltin chloride, 1M (20 wt.%) solution in THF

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | | Microorganisms in sewage treatment | |
|------------------------------------|-----------------|---------------------------------|-----------------|---------------------------------------|-----------------------------|
| Tetrahydrofuran 109-99-9 (80) | PNEC = 4.32mg/L | PNEC = 23.3mg/kg sediment dw | PNEC = 21.6mg/L | PNEC = 4.6mg/L | PNEC = 2.13mg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|-----------------|------------------|--------------------------|------------------------------|----------------|-----|
| Tetrahydrofuran | PNEC = 0.432mg/L | PNEC = 2.33mg/kg | | PNEC = 67mg/kg | |
| 109-99-9 (80) | | sediment dw | | food | |

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

| Eye Protection | Goggles (European standard - EN 166) | | | |
|--------------------------------|---|----------------------|-----------------------|---|
| Hand Protection | Protective gloves | | | |
| Glove material Butyl rubber | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) |
| Neoprene gloves | | | | |
| Skin and body prote | ection Long sle | eved clothing. | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|--|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Liquid | |
|--|---|-----------------------------------|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits | Colorless No information available No data available No data available No data available No information available Highly flammable Not applicable No data available | On basis of test data Liquid |
| Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wat Component | -17 °C / 1.4 °F No data available No data available No information available No data available Miscible No information available er) log Pow | Method - No information available |
| Tetrahydrofuran Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics | 0.45 No data available 0.988 Not applicable No data available Not applicable (liquid) | Liquid (Air = 1.0) |

9.2. Other information

Explosive Properties

Vapors may form explosive mixtures with air

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | None known, based on information available |
|---|---|
| 10.2. Chemical stability | May form explosive peroxides. Moisture sensitive. Air sensitive. |
| 10.3. Possibility of hazardous react | ions |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. |
| 10.4. Conditions to avoid | Incompatible products. Exposure to air. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition. |
| 10.5. Incompatible materials | Strong oxidizing agents. Acids. Bases. |

10.6. Hazardous decomposition products

Trimethyltin chloride, 1M (20 wt.%) solution in THF

Carbon monoxide (CO). Carbon dioxide (CO₂). Metal oxides. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

| (a) acute toxicity; | |
|---------------------|------------|
| Oral | Category 3 |
| Dermal | Category 2 |
| Inhalation | Category 3 |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------------|--------------------------|-----------------------|---|
| Tetrahydrofuran | 1650 mg/kg(Rat) | > 2000 mg/kg (Rabbit) | 180 mg/L (Rat)1 h 53.9 mg/L (Rat)4 h |
| Trimethyltin chloride | LD50 = 12600 µg/kg (Rat) | - | - |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

RespiratoryNo data availableSkinNo data available

| Component | Test method | Test species | Study result |
|-----------------|-------------------------|--------------|-----------------|
| Tetrahydrofuran | Local Lymph Node Assay | mouse | non-sensitising |
| 109-99-9 (80) | OECD Test Guideline 429 | | _ |

(e) germ cell mutagenicity;

No data available

| Component | Test method | Test species | Study result |
|-----------------|------------------------------|-----------------------|--------------|
| Tetrahydrofuran | OECD Test Guideline 476 | in vivo | negative |
| 109-99-9 (80) | Gene cell mutation | Mammalian | - |
| | OECD Test Guideline 473 | | |
| | Chromosomal aberration assay | in vitro Mammalian | negative |

Mutagenic effects have occured in microorganisms

(f) carcinogenicity;

Category 2

Limited evidence of a carcinogenic effect The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | EU | UK | Germany | IARC |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran | | | | Group 2B |

(g) reproductive toxicity; No data available

| Component | Test method | Test species / Duration | Study result |
|-----------------|-------------------------|-------------------------|-------------------|
| Tetrahydrofuran | OECD Test Guideline 416 | Rat | NOAEL = 3,000 ppm |
| 109-99-9 (80) | | 2 Generation | |

Trimethyltin chloride, 1M (20 wt.%) solution in THF

| (h) STOT-single exposure; | Category 3 |
|---|---|
| Results / Target organs | Respiratory system, Central nervous system (CNS). |
| (i) STOT-repeated exposure; | No data available |
| Target Organs | No information available. |
| (j) aspiration hazard; | No data available |
| Other Adverse Effects | Tumorigenic effects have been reported in experimental animals. |
| Symptoms / effects,both acute and delayed | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. |
| 11.2. Information on other hazards | |

| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. known or suspected endocrine disruptors. | This product does not contain any |
|---------------------------------|---|-----------------------------------|
| | | |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------------------|--|--|----------------------|
| Tetrahydrofuran | 2160 mg/l LC50 = 96 h Pimephales promelas Leuciscus idus: LC50: 2820 mg/L/48h | EC50 48 h 3485 mg/l EC50: >10000 mg/L/24h | |
| Trimethyltin chloride | Oryzial latipes LC50: 5.62 mg/L/48H | EC50: 0.47 mg/L/24H | EC50: 0.214 mg/L/72H |

 12.2. Persistence and degradability
 Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary

 Persistence
 May persist, based on information available.

 Degradation in sewage treatment plant
 Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate

| Tetrahydrofuran 0.45 No data ayailable | Component | log Pow | Bioconcentration factor (BCF) |
|--|-----------|---------|-------------------------------|
| | | 0.45 | No data available |

| <u>12.4. Mobility in soil</u> | The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils |
|--|--|
| <u>12.5. Results of PBT and vPvB</u> assessment | No data available for assessment. |

12.6. Endocrine disrupting

properties Endocrine Disruptor Information

| Component | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated | | | |
|-----------------|--|---------------------------------------|--|--|--|
| - - | - | Substances | | | |
| Tetrahvdrofuran | Group III Chemical | | | | |

12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. | | | | |
|--|---|--|--|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. | | | | |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. | | | | |
| Other Information | Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains. | | | | |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| 14.1. UN number | UN1992 |
|----------------------------------|--|
| 14.2. UN proper shipping name | Flammable liquid, toxic, n.o.s. |
| Technical Shipping Name | Tetrahydrofuran, Trimethyltin chloride |
| 14.3. Transport hazard class(es) | 3 |
| Subsidiary Hazard Class | 6.1 |
| 14.4. Packing group | II |
| | |

<u>ADR</u>

| 14.1. UN number | UN1992 |
|----------------------------------|--|
| 14.2. UN proper shipping name | Flammable liquid, toxic, n.o.s. |
| Technical Shipping Name | Tetrahydrofuran, Trimethyltin chloride |
| 14.3. Transport hazard class(es) | 3 |
| Subsidiary Hazard Class | 6.1 |
| 14.4. Packing group | II |

<u>IATA</u>

| 14.1. UN number | UN1992 |
|-------------------------------|---------------------------------|
| 14.2. UN proper shipping name | Flammable liquid, toxic, n.o.s. |

Trimethyltin chloride, 1M (20 wt.%) solution in THF

| Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | Tetrahydrofuran, Trimethyltin chloride 3 6.1 II |
|---|--|
| 14.5. Environmental hazards | Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture_

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|-----------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Tetrahydrofuran | 109-99-9 | 203-726-8 | - | - | Х | Х | KE-33454 | Х | Х |
| Trimethyltin chloride | 1066-45-1 | 213-917-8 | - | - | Х | Х | - | - | - |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------------|-----------|------|---|-----|------|------|-------|-------|
| Tetrahydrofuran | 109-99-9 | Х | ACTIVE | Х | - | Х | Х | Х |
| Trimethyltin chloride | 1066-45-1 | X | ACTIVE | - | Х | X | Х | X |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------------|-----------|---|--|---|
| Tetrahydrofuran | 109-99-9 | - | Use restricted. See entry 75. (see link for restriction details) | - |
| Trimethyltin chloride | 1066-45-1 | - | Use restricted. See entry 20. (see link for restriction details) | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------------------|-----------|---|--|
| Tetrahydrofuran | 109-99-9 | Not applicable | Not applicable |
| Trimethyltin chloride | 1066-45-1 | Not applicable | Not applicable |

Trimethyltin chloride, 1M (20 wt.%) solution in THF

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------|---------------------------------------|-------------------------|
| Tetrahydrofuran | WGK1 | |

| Component | France - INRS (Tables of occupational diseases) |
|-----------------|--|
| Tetrahydrofuran | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|---|--|---|--|
| Tetrahydrofuran 109-99-9 (80) | | Group I | |
| Trimethyltin chloride 1066-45-1 (20) | Prohibited and Restricted Substances | | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H300 Fatal if swallowed
- H310 Fatal in contact with skin
- H330 Fatal if inhaled
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- H411 Toxic to aquatic life with long lasting effects
- EUH019 May form explosive peroxides
- H225 Highly flammable liquid and vapor
- H302 Harmful if swallowed
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Trimethyltin chloride, 1M (20 wt.%) solution in THF

Legend

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory | |
|--|--|--|
| EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances | | |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances | |
| IECSC - Chinese Inventory of Existing Chemical Substances | AICS - Australian Inventory of Chemical Substances | |
| KECL - Korean Existing and Evaluated Chemical Substances | NZIOC - New Zealand Inventory of Chemicals | |
| WEL - Workplace Exposure Limit | TWA - Time Weighted Average | |
| ACGIH - American Conference of Governmental Industrial Hygienists | IARC - International Agency for Research on Cancer | |
| DNEL - Derived No Effect Level | Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% | |
| RPE - Respiratory Protective Equipment | | |
| LC50 - Lethal Concentration 50% | EC50 - Effective Concentration 50% | |
| NOEC - No Observed Effect Concentration | POW - Partition coefficient Octanol:Water | |
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative | |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association | |
| IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code | MARPOL - International Convention for the Prevention of Pollution from Ships | |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate | |
| BCF - Bioconcentration factor | VOC - (Volatile Organic Compound) | |
| Key literature references and sources for data | | |
| https://echa.europa.eu/information-on-chemicals | | |
| Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, F | RTECS | |
| Classification and procedure used to derive the classification | n for mixtures according to Regulation (EC) 1272/2008 [CLP]: | |
| Physical hazards On basis of test data | | |
| Health Hazards Calculation method | | |

Health Hazards Environmental hazards

Training Advice Chemical incident response training.

| Creation Date | 23-Jun-2009 |
|------------------|-----------------|
| Revision Date | 06-Dec-2024 |
| Revision Summary | Not applicable. |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Calculation method

Disclaimer

.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet