

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 27-Feb-2024

**Revision Number** 4

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description:	
Cat No. :	
CAS No	
EC No	
Molecular Formula	

Potassium silicate, anhydrous 44493 1312-76-1 215-199-1 SiO2 :K2 O 2.5:1 wt%

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

### E-mail address begel.sdsdesk@thermofisher.com

#### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

Skin Corrosion/Irritation

Category 2 (H315)

#### Potassium silicate, anhydrous

Revision Date 27-Feb-2024

Category 2 (H319)

Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Warning

#### Hazard Statements

Signal Word

H315 - Causes skin irritation H319 - Causes serious eye irritation

#### **Precautionary Statements**

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P332 + P313 - If skin irritation occurs: Get medical advice/attention P337 + P313 - If eye irritation persists: Get medical advice/attention P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Potassium silicate	1312-76-1	EEC No. 215-199-1	<=100	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

r otassium sincate, annyurous	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	d effects, both acute and delayed
	None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES** 

#### 5.1. Extinguishing media

## Suitable Extinguishing Media

Potassium silicate, anhydrous

Not combustible.

Extinguishing media which must not be used for safety reasons No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Potassium oxides, Silicon dioxide.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### 6.2. Environmental precautions

Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

#### Potassium silicate, anhydrous

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510** Class 13 **Storage Class (LGK) (Germany)** 

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Potassium silicate 1312-76-1 ( <=100 )				DNEL = 1.49mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Potassium silicate 1312-76-1 ( <=100 )				DNEL = 5.61mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent Microorganisms in Soil (Agriculture)
		sediment	sewage treatment

#### Potassium silicate, anhydrous

#### Revision Date 27-Feb-2024

Potassium silicate	PNEC = 7.5mg/L	PNEC = 7.5mg/L	PNEC = 348mg/L	
1312-76-1(<=100)				

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Potassium silicate 1312-76-1 ( <=100 )	PNEC = 1mg/L				

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection	Goggles	Goggles (European standard - EN 166)			
Hand Protection	Protectiv	/e gloves			
Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)	

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State	Solid
Appearance	White
Odor	Odorless
Odor Threshold	No data available

Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	Not applicable	
Viscosity	Not applicable	Solid
Water Solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/w	ater)	
Vapor Pressure	23 hPa @ 20 °C	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	
9.2. Other information		

Molecular Formula	SiO2 :K2 O 2.5:1 wt%
Evaporation Rate	Not applicable - Solid

Potassium silicate, anhydrous

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reacti	ons
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat.
10.5. Incompatible materials	Acids. Metals.

### 10.6. Hazardous decomposition products

Potassium oxides. Silicon dioxide.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** 

(a) acute toxicity;

Oral Dermal Inhalation Based on available data, the classification criteria are not met No data available No data available

#### Potassium silicate, anhydrous

#### Revision Date 27-Feb-2024

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium silicate	LD50 = 5700 mg/kg (Rat)	LD50 > 5000 mg/kg (Rat)	LC50 > 2.06 mg/L (Rat) 4 h
(b) skin corrosion/irritation;	Category 2		
(c) serious eye damage/irritation;	Category 2		
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available		
(e) germ cell mutagenicity;	No data available		
(f) carcinogenicity;	No data available		
	There are no known carcinoge	enic chemicals in this product	
(g) reproductive toxicity;	No data available		
(h) STOT-single exposure;	No data available		
(i) STOT-repeated exposure;	No data available		
Target Organs	No information available.		
(j) aspiration hazard;	Not applicable Solid		
Symptoms / effects,both acute and delayed	No information available.		
11.2. Information on other hazards			
Endocrine Disrupting Properties	Assess endocrine disrupting p known or suspected endocrine		is product does not contain any

SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Potassium silicate	LC50: = 3185 mg/L, 96h semi-static (Brachydanio rerio) LC50: 301 - 478 mg/L, 96h (Lepomis macrochirus)		

### 12.2. Persistence and degradability

Persistence Degradability Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.

12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
<u>12.5. Results of PBT and vPvB</u> assessment	In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects	

Persistent Organic PollutantThis product does not contain any known or suspected substanceOzone Depletion PotentialThis product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Potassium silicate, anhydrous

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO	Not regulated
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	
ADR	Not regulated
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	
IATA	Not regulated
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	

Potassium silicate, anhydrous

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Potassium silicate	1312-76-1	215-199-1	-	-	Х	Х	KE-31000	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Potassium silicate	1312-76-1	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	5	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Potassium silicate	1312-76-1	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report
		Notification	Requirements
Potassium silicate	1312-76-1	Not applicable	Not applicable

### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class

Potassium silicate, anhydrous

Potassium silicate

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation H319 - Causes serious eye irritation

#### Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
<b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances	DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
RECE - Rolean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
<b>ACGIH</b> - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)
<b>RPE</b> - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
<b>PBT</b> - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code	<b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships
OECD - Organisation for Economic Co-operation and Development	ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor	VOC - (Volatile Organic Compound)
Key literature references and sources for data	· - · ·
https://echa.europa.eu/information-on-chemicals	

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By	Health, Safety and Environmental Department
Revision Date	27-Feb-2024
Revision Summary	New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet