

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 07-Dec-2024

Revision Number 5

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description:	1-Ethylpropylzinc bromide, 0.5M in THF
Cat No. :	H58214
Molecular Formula	C5 H11 BrZn

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.		
Uses advised against	No Information available		

### 1.3. Details of the supplier of the safety data sheet

### Company

Avocado Research Chemicals Ltd.
(Part of Thermo Fisher Scientific)
Shore Road, Heysham
Lancashire, LA3 2XY,
United Kingdom
Office Tel: +44 (0) 1524 850506
Office Fax: +44 (0) 1524 850608

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency	Ireland : National Poisons Information Centre (NPIC) -
information services	01 809 2166 (8am-10pm, 7 days a week)
	Malta : +356 2395 2000 Cyprus : +357 2240 5611

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

### GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Flammable liquids Substances/mixtures which, in contact with water, emit flammable gases Category 2 (H225) Category 1 (H260)

### Health hazards

### 1-Ethylpropylzinc bromide, 0.5M in THF

### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

### 2.2. Label elements



Signal Word

Danger

### **Hazard Statements**

- H225 Highly flammable liquid and vapor
- H260 In contact with water releases flammable gases which may ignite spontaneously
- H336 May cause drowsiness or dizziness
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer

EUH019 - May form explosive peroxides

### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

- P335 + P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages
- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

### 2.3. Other hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2. Mixtures

	Component	CAS No	EC No	Weight %	GHS Classification - According to
--	-----------	--------	-------	----------	-----------------------------------

Revision Date 07-Dec-2024

Category 4 (H302) Category 1 B (H314) Category 1 (H318) Category 2 (H351) Category 3 (H335) (H336)

### 1-Ethylpropylzinc bromide, 0.5M in THF

### Revision Date 07-Dec-2024

				GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Tetrahydrofuran	109-99-9	203-726-8	89.2	Flam. Liq. 2 (H225) Acute Tox. 4 (H302) Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT SE 3 (H336) Carc. 2 (H351) (EUH019)
1-Ethylpropylzinc bromide	308796-09-0		10.8	Water-react. 1 (H260) Skin Corr. 1B (H314) Eye Dam. 1 (H318)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Tetrahydrofuran	Acute Tox. 4 :: C>82.5% Eve Irrit. 2 :: C>=25%	-	-
	STOT SE 3 :: C>=25%		

### Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
4.3. Indication of any immediate me	edical attention and special treatment needed
Notes to Physician	Treat symptomatically. Symptoms may be delayed.

### SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Dry sand. Carbon dioxide (CO<sub>2</sub>). Powder. Do not use water or foam. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen bromide, Metal oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### 1-Ethylpropylzinc bromide, 0.5M in THF

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep refrigerated. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510Class 4.3Storage Class (LGK) (Germany)

### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Exposure limits

**IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	The United Kingdom	European Union	Ireland
Tetrahydrofuran	STEL: 100 ppm 15 min	TWA: 50 ppm (8h)	TWA: 50 ppm 8 hr.
	STEL: 300 mg/m <sup>3</sup> 15 min	TWA: 150 mg/m <sup>3</sup> (8h)	TWA: 150 mg/m <sup>3</sup> 8 hr.
	TWA: 50 ppm 8 hr	STEL: 100 ppm (15min)	STEL: 100 ppm 15 min
	TWA: 150 mg/m <sup>3</sup> 8 hr	STEL: 300 mg/m <sup>3</sup> (15min)	STEL: 300 mg/m <sup>3</sup> 15 min
	Skin	Skin	Skin

### Biological limit values

List source(s):

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Tetrahydrofuran 109-99-9 ( 89.2 )				DNEL = 12.6mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Tetrahydrofuran 109-99-9(89.2)	DNEL = 300mg/m <sup>3</sup>	DNEL = 96mg/m <sup>3</sup>	DNEL = 150mg/m <sup>3</sup>	DNEL = 72.4mg/m <sup>3</sup>

# Predicted No Effect Concentration (PNEC)

See values below.

### 1-Ethylpropylzinc bromide, 0.5M in THF

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Tetrahydrofuran	PNEC = 4.32mg/L	PNEC = 23.3mg/kg	PNEC = 21.6mg/L	PNEC = 4.6mg/L	PNEC = 2.13mg/kg
109-99-9 ( 89.2 )	-	sediment dw	-		soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Tetrahydrofuran	PNEC = 0.432mg/L	PNEC = 2.33mg/kg		PNEC = 67mg/kg	
109-99-9 ( 89.2 )		sediment dw		food	

### 8.2. Exposure controls

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

Glove material Nitrile rubber Viton (R) Butyl rubber Neoprene gloves	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body prote	ection Long sle	eved clothing.		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	Yellow - Brown - Black No information available No data available No data available No data available No information available Highly flammable Not applicable No data available	On basis of test data Liquid
Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/water)	-17 °C / 1.4 °F No data available No data available No information available No data available Immiscible No information available er)	Method - No information available
Component Tetrahydrofuran Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics	<b>log Pow</b> 0.45 No data available 0.95 g/cm3 Not applicable No data available Not applicable (liquid)	@ 20 °C Liquid (Air = 1.0)

### 9.2. Other information

Molecular Formula Molecular Weight Explosive Properties Substances/mixtures which, in contact with water, emit flammable gases

C5 H11 BrZn 216.43 Vapors may form explosive mixtures with air Emitted gas ignites spontaneously

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity	Yes
10.2. Chemical stability	Air sensitive.
10.3. Possibility of hazardous react	ions
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	Strong bases. Oxidizing agent.

### 1-Ethylpropylzinc bromide, 0.5M in THF

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen bromide. Metal oxides.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** 

(a) acute toxicity;	
Oral	Category 4
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tetrahydrofuran	1650 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	180 mg/L (Rat)1 h
			53.9 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

#### (d) respiratory or skin sensitization; Respiratory No data available Skin No data available

Component	Test method	Test species	Study result
Tetrahydrofuran	Local Lymph Node Assay	mouse	non-sensitising
109-99-9 ( 89.2 )	OECD Test Guideline 429		_

(e) germ cell mutagenicity;

No data available

Component	Test method	Test species	Study result
Tetrahydrofuran	OECD Test Guideline 476	in vivo	negative
109-99-9 ( 89.2 )	Gene cell mutation	Mammalian	
	OECD Test Guideline 473		
	Chromosomal aberration assay	in vitro	negative
		Mammalian	

### (f) carcinogenicity;

### Category 2

Limited evidence of a carcinogenic effect The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Tetrahydrofuran				Group 2B

### (g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Tetrahydrofuran	OECD Test Guideline 416	Rat	NOAEL = 3,000 ppm
109-99-9 ( 89.2 )		2 Generation	

(h) STOT-single exposure; Category 3

THF Revision Date 07-Dec-202
Respiratory system, Central nervous system (CNS).
No data available
No information available.
No data available
Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity **Ecotoxicity effects**

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Tetrahydrofuran	2160 mg/l LC50 = 96 h Pimephales promelas Leuciscus idus: LC50: 2820 mg/L/48h	EC50 48 h 3485 mg/l EC50: >10000 mg/L/24h	

12.2. Persistence and degradability Persistence Degradation in sewage treatment plant	<ul> <li>Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary</li> <li>May persist, based on information available.</li> <li>Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.</li> </ul>				
12.3. Bioaccumulative potential	May have some potential to bioaccumulate				
Component	log Pow	Bioconcentration factor (BCF)			
Tetrahydrofuran	0.45	No data available			
12.4. Mobility in soil	Spillage unlikely to penetrate soil The produ	uct is insoluble and floats on water Is not likely			

mobile in the environment due its low water solubility.

### 12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

### **Endocrine Disruptor Information**

Component	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated
	-	Substances
Tetrahydrofuran	Group III Chemical	

### <u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

### **SECTION 14: TRANSPORT INFORMATION**

### IMDG/IMO

<u>14.1. UN number</u>	UN3399
<u>14.2. UN proper shipping name</u>	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
Technical Shipping Name	(1-Ethylpropylzinc bromide, TETRAHYDROFURAN)
<u>14.3. Transport hazard class(es)</u>	4.3
Subsidiary Hazard Class	3
<u>14.4. Packing group</u>	II
<u>ADR</u>	
<u>14.1. UN number</u>	UN3399
<u>14.2. UN proper shipping name</u>	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
Technical Shipping Name	(1-Ethylpropylzinc bromide, TETRAHYDROFURAN)
<u>14.3. Transport hazard class(es)</u>	4.3
Subsidiary Hazard Class	3
<u>14.4. Packing group</u>	II
IATA	
<u>14.1. UN number</u>	UN3399
<u>14.2. UN proper shipping name</u>	Organometallic substance, liquid, water-reactive, flammable
Technical Shipping Name	(1-Ethylpropylzinc bromide, TETRAHYDROFURAN)
<u>14.3. Transport hazard class(es)</u>	4.3
Subsidiary Hazard Class	3
<u>14.4. Packing group</u>	II

1-Ethylpropylzinc bromide, 0.5M in THF

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods

### according to IMO instruments

### SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Tetrahydrofuran	109-99-9	203-726-8	-	-	Х	Х	KE-33454	Х	Х
1-Ethylpropylzinc bromide	308796-09-0	-	-	-	-	Х	-	-	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Tetrahydrofuran	109-99-9	Х	ACTIVE	Х	-	Х	Х	Х
1-Ethylpropylzinc bromide	308796-09-0	-	-	-	-	-	-	-

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Tetrahydrofuran	109-99-9	-	Use restricted. See entry 75. (see link for restriction details)	-
1-Ethylpropylzinc bromide	308796-09-0	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Tetrahydrofuran	109-99-9	Not applicable	Not applicable
1-Ethylpropylzinc bromide	308796-09-0	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### 1-Ethylpropylzinc bromide, 0.5M in THF

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Tetrahydrofuran	WGK1	

Component	France - INRS (Tables of occupational diseases)
Tetrahydrofuran	Tableaux des maladies professionnelles (TMP) - RG 84

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Tetrahydrofuran 109-99-9 (89.2)		Group I	

### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H336 - May cause drowsiness or dizziness

- H260 In contact with water releases flammable gases which may ignite spontaneously
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- EUH019 May form explosive peroxides
- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation

#### Legend

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

 

 CAS - Chemical Abstracts Service
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances
 ENCS - Japanese Existing and New Chemical Substances NZIoC - New Zealand Inventory of Chemicals

 WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists
 TWA - Time Weighted Average IARC - International Agency for Research on Cancer

ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment

### Revision Date 07-Dec-2024

BT - Persistent, Bioaccumulative, Toxic       vPvB - very Persistent, very Bioaccumulative         DR - European Agreement Concerning the International Carriage of angerous Goods by Road       ICAO/IATA - International Civil Aviation Organization/International Air Transport Association         MOIMDG - International Maritime Organization/International Maritime angerous Goods Code       ICAO/IATA - International Civil Aviation Organization/International Air Transport Association         MCDED - Organisation for Economic Co-operation and Development CF - Bioconcentration factor       MARPOL - International Convention for the Prevention of Pollution from Ships         ATE - Acute Toxicity Estimate type://echa.europa.eu/information-on-chemicals       VOC - (Volatile Organic Compound)         Puppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS       Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         Physical hazards       On basis of test data         Lealth Hazards       Calculation method         Invironmental hazards       Calculation method	LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic		EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative	
DR - European Agreement Concerning the International Carriage of angerous Goods by Road       ICAO/IATA - International Civil Aviation Organization/International Air Transport Association         MO/IMDG - International Maritime Organization/International Maritime angerous Goods Code       MARPOL - International Convention for the Prevention of Pollution from Ships         FCD - Organisation for Economic Co-operation and Development GF - Bioconcentration factor       ATE - Acute Toxicity Estimate         VOC - (Volatile Organic Compound)       VOC - (Volatile Organic Compound)         Key literature references and sources for data       Ttransport Association for mixtures according to Regulation (EC) 1272/2008 [CLP]         Hysical hazards       On basis of test data         Leath Hazards       Calculation method         raning Advice       Calculation method         irst aid for chemical exposure, including the use of eye wash and safety showers.       ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.				
angerous Goods by Road       Transport Association         MO/IMDG - International Maritime Organization/International Maritime       MARPOL - International Convention for the Prevention of Pollution from Ships         VECD - Organisation for Economic Co-operation and Development       ATE - Acute Toxicity Estimate         VOC - (Volatile Organic Compound)       VOC - (Volatile Organic Compound)         Key literature references and sources for data       VOC - (Volatile Organic Compound)         ttps://echa.europa.eu/information-on-chemicals       VOC - (Volatile Organic Compound)         tuppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS       Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         thysical hazards       On basis of test data         lealth Hazards       Calculation method         training Advice       Calculation method         tirst aid for chemical exposure, including the use of eye wash and safety showers.       telectricity, explosive atmospheres posed by vapours and dusts.         the prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.				
MO/MDG - International Maritime Organization/International Maritime angerous Goods Code       MARPOL - International Convention for the Prevention of Pollution from Ships         MECD - Organisation for Economic Co-operation and Development CF - Bioconcentration factor       ATE - Acute Toxicity Estimate         VOC - (Volatile Organic Compound)       ATE - Acute Toxicity Estimate         Voc - (Volatile Organic Compound)       Voc - (Volatile Organic Compound)         Republic station for mation-on-chemicals       Voc - (Volatile Organic Compound)         Bassification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         hysical hazards       On basis of test data         invironmental hazards       Calculation method         raining Advice       Calculation method         irst aid for chemical exposure, including the use of eye wash and safety showers.       Terpevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.         Chemical incident response training.       Distributes, static electricity, explosive atmospheres posed by vapours and dusts.	ADR - European Agreement Concerning the International Carriage of			
angerous Goods Code       Ships         JECD - Organisation for Economic Co-operation and Development       ATE - Acute Toxicity Estimate         CF - Bioconcentration factor       VOC - (Volatile Organic Compound)         Gey literature references and sources for data       VOC - (Volatile Organic Compound)         ttps://echa.europa.eu/information-on-chemicals       Voc - (Volatile Organic to the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         chassification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]       Physical hazards         Chassification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]       Physical hazards         Calculation method       Calculation method       Calculation method         raining Advice       Ternining Advice       Ternining hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.         the prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.       Chemical incident response training.	Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code		MARPOL - International Convention for the Prevention of Pollution from	
VECD - Organisation for Economic Co-operation and Development       ATE - Acute Toxicity Estimate         VOC - (Volatile Organic Compound)         Key literature references and sources for data         ttps://echa.europa.eu/information-on-chemicals         suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS         Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         "hysical hazards       On basis of test data         lealth Hazards       Calculation method         "nvironmental hazards       Calculation method         "raining Advice"       Ter Advice         irst aid for chemical exposure, including the use of eye wash and safety showers.       Ter Provention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.         Chemical incident response training.       Ter Acute Toxicity Estimate				
CF - Bioconcentration factor       VOC - (Volatile Organic Compound)         Key literature references and sources for data       ttps://echa.europa.eu/information-on-chemicals         Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS       Bioscincentration and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         CHysical hazards       On basis of test data         Iealth Hazards       Calculation method         Invironmental hazards       Calculation method         raining Advice       irst aid for chemical exposure, including the use of eye wash and safety showers.         ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.         Chemical incident response training.			•	
ttps://echa.europa.eu/information-on-chemicals         suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS         classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         thysical hazards       On basis of test data         lealth Hazards       Calculation method         invironmental hazards       Calculation method         raining Advice       Irst aid for chemical exposure, including the use of eye wash and safety showers.         ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.         chemical incident response training.	BCF - Bioconcentration factor			
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS         Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]         Physical hazards       On basis of test data         Iealth Hazards       Calculation method         Invironmental hazards       Calculation method         Praining Advice       Calculation the use of eye wash and safety showers.         ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.         Chemical incident response training.	•			
Physical hazards       On basis of test data         lealth Hazards       Calculation method         Invironmental hazards       Calculation method         raining Advice       Calculation method         irst aid for chemical exposure, including the use of eye wash and safety showers.       Image: Calculation method invironmental hazards         ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.       Image: Calculation method invironmental hazards         chemical incident response training.       Calculation method invironmental hazards       Calculation method invironmethod invironmethod invironmethod invironmethod			RTECS	
lealth Hazards       Calculation method         invironmental hazards       Calculation method         raining Advice       Calculation method         irst aid for chemical exposure, including the use of eye wash and safety showers.       Calculation method         ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.         chemical incident response training.	Classification and procedure us	sed to derive the classification	on for mixtures according to Regulation (EC) 1272/2008 [CLP]:	
Invironmental hazards       Calculation method         raining Advice       Invironmental exposure, including the use of eye wash and safety showers.         irst aid for chemical exposure, including the use of eye wash and safety showers.       Invironmental including the use of eye wash and safety showers.         ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.       Invironmental incident response training.	Physical hazards	On basis of test data		
raining Advice irst aid for chemical exposure, including the use of eye wash and safety showers. ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. chemical incident response training.	Health Hazards	Calculation method		
irst aid for chemical exposure, including the use of eye wash and safety showers. ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. chemical incident response training.	Environmental hazards	Calculation method		
ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.	Training Advice			
ire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.	First aid for chemical exposure, ir	cluding the use of eye wash a	nd safety showers.	
	Fire prevention and fighting, ident	ifying hazards and risks, static		
	•	0	fety Data Sheets (SDS) Personal Protective Equipment (PDE) and	

hygiene. Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Prepared By	
Revision Date	
Revision Summary	

1-Ethylpropylzinc bromide, 0.5M in THF

Health, Safety and Environmental Department 07-Dec-2024 Not applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**