

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 07-Dec-2024

Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF **THECOMPANY/UNDERTAKING**

1.1. Product identifier

| Product Description: | 5-Cyanopentylzinc bromide, 0.5M in THF |
|----------------------|--|
| Cat No. : | H58480 |
| Molecular Formula | C6 H10 Br NZn |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended Use | Laboratory chemicals. | | |
|----------------------|--------------------------|--|--|
| Uses advised against | No Information available | | |

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

| GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and | I UK SI 2020/1567 |
|--|--|
| Physical hazards | |
| Flammable liquids Substances/mixtures which, in contact with water, emit flammable gases <u>Health hazards</u> | Category 2 (H225) Category 2 (H261) |
| Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Carcinogenicity | Category 4 (H302) Category 1 B (H314) Category 1 (H318) Category 2 (H351) |

5-Cyanopentylzinc bromide, 0.5M in THF

Revision Date 07-Dec-2024

Specific target organ toxicity - (single exposure)

Category 3 (H335) (H336)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H261 In contact with water releases flammable gases
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- EUH019 May form explosive peroxides

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

Toxic to terrestrial vertebrates This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-----------------|----------|-----------|----------|---|
| Tetrahydrofuran | 109-99-9 | 203-726-8 | 87.42 | Flam. Liq. 2 (H225) Acute Tox. 4 (H302) Eye Irrit. 2 (H319) |

5-Cyanopentylzinc bromide, 0.5M in THF

Revision Date 07-Dec-2024

| | | | | STOT SE 3 (H335) STOT SE 3 (H336) Carc. 2 (H351) (EUH019) |
|---------------------------|-----|---|------|--|
| 5-Cyanopentylzinc bromide | N/A | 1 | 2.58 | Water-react. 1 (H260) Skin Corr. 1B (H314) Eye Dam. 1 (H318) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-----------------|--|----------|-----------------|
| Tetrahydrofuran | Acute Tox. 4 :: C>82.5% | - | - |
| | Eye Irrit. 2 :: C>=25% | | |
| | STOT SE 3 :: C>=25% | | |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
|---|
| concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of |
| |
| effects, both acute and delayed |
| Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. |
| Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately. |
| Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
| |

SECTION 5: FIREFIGHTING MEASURES

5-Cyanopentylzinc bromide, 0.5M in THF

5.1. Extinguishing media

Suitable Extinguishing Media

Dry sand. Carbon dioxide (CO 2). Powder. Do not use water or foam. Water mist may be used to cool closed containers. CO 2, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx), Hydrogen bromide, Hydrogen cyanide (hydrocyanic acid), Zinc oxide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do

5-Cyanopentylzinc bromide, 0.5M in THF

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep refrigerated. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 4.3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-----------------|------------------------------------|-------------------------------------|------------------------------------|
| Tetrahydrofuran | STEL: 100 ppm 15 min | TWA: 50 ppm (8h) | TWA: 50 ppm 8 hr. |
| | STEL: 300 mg/m ³ 15 min | TWA: 150 mg/m ³ (8h) | TWA: 150 mg/m ³ 8 hr. |
| | TWA: 50 ppm 8 hr | STEL: 100 ppm (15min) | STEL: 100 ppm 15 min |
| | TWA: 150 mg/m ³ 8 hr | STEL: 300 mg/m ³ (15min) | STEL: 300 mg/m ³ 15 min |
| | Skin | Skin | Skin |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---------------------------------------|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Tetrahydrofuran 109-99-9 (87.42) | | | | DNEL = 12.6mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|-------------------------------------|--|---------------------------------------|---------------------------------------|
| Tetrahydrofuran 109-99-9 (87.42) | DNEL = 300mg/m ³ | DNEL = 96mg/m ³ | DNEL = 150mg/m ³ | DNEL = 72.4mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water | Water Intermittent Microorganisms in Soil (Agriculture) |
|-----------|-------------|-------------|---|
| | | sediment | sewage treatment |

5-Cyanopentylzinc bromide, 0.5M in THF

Revision Date 07-Dec-2024

| Tetrahydrofuran | PNEC = 4.32mg/L | PNEC = 23.3mg/kg | PNEC = 21.6mg/L | PNEC = 4.6mg/L | PNEC = 2.13mg/kg |
|--------------------|-----------------|------------------|-----------------|----------------|------------------|
| 109-99-9 (87.42) | _ | sediment dw | | | soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|------------------|------------------|--------------------------|------------------------------|----------------|-----|
| Tetrahydrofuran | PNEC = 0.432mg/L | PNEC = 2.33mg/kg | | PNEC = 67mg/kg | |
| 109-99-9 (87.42) | | sediment dw | | food | |

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Goggles (European standard - EN 166)

Hand Protection

Eve Protection

Protective gloves

| Skin and body protection Long sleeved clothing. | Glove material Nitrile rubber Viton (R) Butyl rubber Neoprene gloves | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) |
|---|--|---|----------------------|-----------------------|---|
|---|--|---|----------------------|-----------------------|---|

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|---|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | No information available. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

5-Cyanopentylzinc bromide, 0.5M in THF

| Physical State | Liquid | | |
|-------------------------------------|---|-----------------------------------|--|
| Appearance | Yellow - Brown - Black | | |
| Odor | No information available | | |
| Odor Threshold | No data available | | |
| Melting Point/Range | No data available | | |
| Softening Point | No data available | | |
| Boiling Point/Range | 66 °C / 150.8 °F | | |
| Flammability (liquid) | Highly flammable | On basis of test data | |
| Flammability (solid,gas) | Not applicable | Liquid | |
| Explosion Limits | No data available | | |
| Flash Point | -17 °C / 1.4 °F | Method - No information available | |
| Autoignition Temperature | No data available | | |
| Decomposition Temperature | No data available | | |
| рН | No information available | | |
| Viscosity | No data available | | |
| Water Solubility | Immiscible | | |
| Solubility in other solvents | No information available | | |
| Partition Coefficient (n-octanol/wa | ter) | | |
| Component | log Pow | | |
| Tetrahydrofuran | 0.45 | | |
| Vapor Pressure | 23 hPa @ 20 °C | | |
| Density / Specific Gravity | No data available | | |
| Bulk Density | Not applicable | Liquid | |
| Vapor Density | No data available | (Air = 1.0) | |
| Particle characteristics | Not applicable (liquid) | | |
| 9.2. Other information | | | |
| Molecular Formula | C6 H10 Br NZn | | |
| Molecular Weight | 241.44 | | |
| Explosive Properties | Vapors may form explosive mixtures with air | | |

Explosive Properties Substances/mixtures which, in contact with water, emit flammable gases

Vapors may form explosive mixtures with air Emitted gas ignites spontaneously

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | Yes |
|---|---|
| 10.2. Chemical stability | Air sensitive. Water reactive. May form precipitate. |
| 10.3. Possibility of hazardous react | ions |
| Hazardous Polymerization Hazardous Reactions | No information available. None under normal processing. |
| 10.4. Conditions to avoid | Keep away from open flames, hot surfaces and sources of ignition. |
| 10.5. Incompatible materials | Acids. Acid chlorides. Oxidizing agent. |

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). Hydrogen bromide.

Hydrogen cyanide (hydrocyanic acid). Zinc oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral Dermal Inhalation

Category 4 Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|--------------------|-----------------------|---------------------|
| Tetrahydrofuran | 1650 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | 180 mg/L (Rat)1 h |
| - | | | 53.9 mg/L (Rat) 4 h |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization; Respiratory No data available Skin No data available

| Component | Test method | Test species | Study result |
|------------------|-------------------------|--------------|-----------------|
| Tetrahydrofuran | Local Lymph Node Assay | mouse | non-sensitising |
| 109-99-9 (87.42) | OECD Test Guideline 429 | | |

(e) germ cell mutagenicity;

No data available

| Component | Test method | Test species | Study result |
|---------------------------------------|---|-----------------------|--------------|
| Tetrahydrofuran 109-99-9 (87.42) | OECD Test Guideline 476 Gene cell mutation | in vivo Mammalian | negative |
| | OECD Test Guideline 473 Chromosomal aberration assay | in vitro Mammalian | negative |

(f) carcinogenicity;

Category 2

Limited evidence of a carcinogenic effect The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | EU | UK | Germany | IARC |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran | | | | Group 2B |

(g) reproductive toxicity; No data available

| Component | Test method | Test species / Duration | Study result |
|------------------|-------------------------|-------------------------|-------------------|
| Tetrahydrofuran | OECD Test Guideline 416 | Rat | NOAEL = 3,000 ppm |
| 109-99-9 (87.42) | | 2 Generation | |

(h) STOT-single exposure; Category 3

Results / Target organs

Respiratory system, Central nervous system (CNS).

| 5-Cyanopentylzinc bromide, 0.5M in THF | |
|--|--|
|--|--|

| (i) STOT-repeated exposure; Target Organs | No data available No information available. |
|---|---|
| (j) aspiration hazard; Symptoms / effects,both acute and delayed | No data available Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. |
| 11.2. Information on other hazards | |

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity **Ecotoxicity effects**

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------------|--|--|------------------|
| Tetrahydrofuran | 2160 mg/l LC50 = 96 h Pimephales promelas Leuciscus idus: LC50: 2820 mg/L/48h | EC50 48 h 3485 mg/l EC50: >10000 mg/L/24h | |

| 12.2. Persistence and degradability | Product contains heavy metals. Discharge into the environment must be avoided. Special |
|--|---|
| | pre-treatment is necessary |
| Persistence | based on information available, May persist. |
| Degradation in sewage treatment plant | Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. |
| | |

May have some potential to bioaccumulate 12.3. Bioaccumulative potential

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Tetrahydrofuran | 0.45 | No data available |

12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in air

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

| 1 | Component | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated |
|---|-----------------|--|---------------------------------------|
| | | | Substances |
| | Tetrahydrofuran | Group III Chemical | |

12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| <u>14.1. UN number</u> | UN3399 |
|---|---|
| <u>14.2. UN proper shipping name</u> | ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE |
| Technical Shipping Name | (5-Cyanopentylzinc bromide, TETRAHYDROFURAN) |
| <u>14.3. Transport hazard class(es)</u> | 4.3 |
| Subsidiary Hazard Class | 3 |
| <u>14.4. Packing group</u> | II |
| ADR | |
| <u>14.1. UN number</u> | UN3399 |
| <u>14.2. UN proper shipping name</u> | ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE |
| Technical Shipping Name | (5-Cyanopentylzinc bromide, TETRAHYDROFURAN) |
| <u>14.3. Transport hazard class(es)</u> | 4.3 |
| Subsidiary Hazard Class | 3 |
| <u>14.4. Packing group</u> | II |
| IATA | |
| <u>14.1. UN number</u> | UN3399 |
| <u>14.2. UN proper shipping name</u> | Organometallic substance, liquid, water-reactive, flammable |
| Technical Shipping Name | (5-Cyanopentylzinc bromide, TETRAHYDROFURAN) |
| <u>14.3. Transport hazard class(es)</u> | 4.3 |
| Subsidiary Hazard Class | 3 |
| <u>14.4. Packing group</u> | II |
| 14.5. Environmental hazards | No hazards identified |

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|---------------------------|----------|-----------|--------|-----|-------|------|----------|------|------|
| Tetrahydrofuran | 109-99-9 | 203-726-8 | - | - | Х | Х | KE-33454 | Х | Х |
| 5-Cyanopentylzinc bromide | N/A | - | - | - | - | - | - | - | - |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|---------------------------|----------|------|---|-----|------|------|-------|-------|
| Tetrahydrofuran | 109-99-9 | Х | ACTIVE | Х | - | Х | Х | Х |
| 5-Cyanopentylzinc bromide | N/A | - | - | - | - | - | - | - |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---------------------------|----------|---|---------------------------|---|
| Tetrahydrofuran | 109-99-9 | - | Use restricted. See entry | - |
| | | | 75. | |
| | | | (see link for restriction | |
| | | | details) | |
| 5-Cyanopentylzinc bromide | N/A | - | - | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---------------------------|----------|---|--|
| Tetrahydrofuran | 109-99-9 | Not applicable | Not applicable |
| 5-Cyanopentylzinc bromide | N/A | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

5-Cyanopentylzinc bromide, 0.5M in THF

work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------|---------------------------------------|-------------------------|
| Tetrahydrofuran | WGK1 | |

| Component | France - INRS (Tables of occupational diseases) | |
|-----------------|--|--|
| Tetrahydrofuran | Tableaux des maladies professionnelles (TMP) - RG 84 | |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-------------------------------------|--|---|--|
| Tetrahydrofuran 109-99-9 (87.42) | | Group I | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

EUH019 - May form explosive peroxides

H225 - Highly flammable liquid and vapor

H260 - In contact with water releases flammable gases which may ignite spontaneously

H319 - Causes serious eye irritation

Legend

EC50 - Effective Concentration 50%

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory |
|---|--|
| EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances | |
| WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment | TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% |

Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

| Revision Date | 07-Dec-2024 |
|----------------------|-------------|
|----------------------|-------------|

| NOEC - No Observed Effect Concentration | POW - Partition coefficient Octanol:Water |
|--|---|
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
| | |
| ADR - European Agreement Concerning the International Carriage of | ICAO/IATA - International Civil Aviation Organization/International Air |
| Dangerous Goods by Road | Transport Association |
| IMO/IMDG - International Maritime Organization/International Maritime | MARPOL - International Convention for the Prevention of Pollution from |
| Dangerous Goods Code | Ships |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate |
| BCF - Bioconcentration factor | VOC - (Volatile Organic Compound) |
| Key literature references and sources for data | |
| https://echa.europa.eu/information-on-chemicals | |
| Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, | DTECS |
| Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, | RIECS |
| Cleanification and presedure used to derive the cleanification | on for mixtures according to Degulation (EC) 1979/2009 [CI D]. |
| - | on for mixtures according to Regulation (EC) 1272/2008 [CLP]: |
| Physical hazards On basis of test data | |

Training Advice

Environmental hazards

Health Hazards

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Calculation method

Calculation method

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

| Prepared By | Health, Sa |
|------------------|-------------|
| Revision Date | 07-Dec-20 |
| Revision Summary | Not applica |

5-Cyanopentylzinc bromide, 0.5M in THF

Health, Safety and Environmental Department 07-Dec-2024 Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet